

Material Safety Data Sheet

May be used to comply with OSHA's
Hazardous Communication Standard, 29 CFR 1910.1200

NPCA Hazardous Materials Identification System

Specific Hazard	Personal Protection
4-Severe	X-Ask a supervisor
3-Serious	A-Safety Glasses
2-Moderate	B-Goggles, Gloves
1-Slight	C-Goggles, Glasses, Apron
0-Minimal	D-Goggles, Glasses, Apron, & Faceshield

Product name or number as it appears on label

Health (1) Reactivity (0)
Flammability (0) Personal Protection (B)

**Grout Seal (Clear Seal)
P518**

SECTION I

MFGR'S NAME AND ADDRESS: CleanPak Products
5408 N 59TH ST. TAMPA, FL 33610

EMERGENCY TELEPHONE NUMBER: 800-424-9300 DATE PREPARED: 10-15-10
Telephone Number For Information: 813-740-8611

SECTION II-HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

Hazardous Components	OSHA	PEL	ACGIH	Other	%Optional
----------------------	------	-----	-------	-------	-----------

Specific Components

Specific Chemical Identity

Recommended

Common Name(s)

Isopropyl Alcohol CAS#67-63-0	400ppm		400ppm	*	0-1
----------------------------------	--------	--	--------	---	-----

* ACGIH-Short term exposure limit for Isopropyl Alcohol is 500ppm.

SECTION III-PHYSICAL / CHEMICAL CHARACTERISTICS

BOILING POINT (F)	Over 200°F	SPECIFIC GRAVITY (H ₂ O=1)	1.05
VAPOR PRESSURE (mmHg)	N/A	Percent Volatiles	90
VAPOR DENSITY (air=1)	N/A	EVAPORATION POINT (Butyl Acetate=1)	Less than 1
SOLUBILITY IN WATER	Infinitely Soluble		
pH	6.3-7.0		

APPEARANCE AND ODOR: Clear amber liquid, slight citrus odor.

SECTION IV-FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (METHOD USED)	FLAMMABLE LIMITS	LEL	UEL
Over 200°F Closed Cup	N/A	N/A	N/A

EXTINGUISHING MEDIA: Water spray, carbon dioxide, dry chemical or foam.

SPECIAL FIRE FIGHTING PROCEDURES: None

UNUSUAL FIRE AND EXPLOSION HAZARDS: Wear full protective clothing, including helmet and self contained breathing apparatus.

SECTION V -REACTIVITY DATA Grout Seal (Clear Seal) (P518)

